This listing of claims will replace all prior versions and listing of claims in the application.

## **Listing of Claims:**

Claim 1. (Cancelled)

Claim 2. (Currently Amended): Moulding compositions according to Claim [[22]] 24, containing 75 to 98 parts by weight of an aromatic polycarbonate A.

Claim 3. (Currently Amended): Moulding compositions according to Claim [[22]] 24, containing graft polymers B) produced by copolymerisation of

5 to 95 parts by weight of a mixture of

50 to 95 parts by weight of styrene,  $\alpha$ -methyl styrene, styrene with alkyl substitution in the ring,  $C_1\text{--}C_8\text{--alkyl}$  methacrylate,  $C_1\text{--}C_8\text{--alkyl}$  acrylate or mixtures of these compounds and

5 to 50 parts by weight of acrylonitrile, methacrylonitrile, C<sub>1</sub>-C<sub>8</sub>-alkyl methacrylate, C<sub>1</sub>-C<sub>8</sub>-alkyl acrylate, maleic anhydride, C<sub>1</sub>-C<sub>4</sub>-alkyl- or phenyl-Nsubstituted maleimide or mixtures of these compounds on

5 to 95 parts by weight of rubber with a glass transition temperature of less than -10°C.

Claim 4. (Original): Moulding compositions according to Claim 3, containing as rubbers diene rubbers, polyacrylate rubbers, silicone rubbers or ethylene-propylenediene rubbers.

Claim 5. (Currently Amended): Moulding compositions according to Claim [[22]] 24, containing component C in a quantity of a monophosphorus compound C.1 and an oligomeric phosphorus compound C.2 having a synergistic effect.

Claim 6. (Currently Amended): Moulding compositions according to Claim [[22]] 24, containing as component C a mixtur of 12 to 50 wt.% C.1 and 50 to 88 wt.% C.2.

-2-

Mo-5383

Claim 7. (Currently Amended): Moulding compositions according to Claim [[22]] 24, containing as component C.1 triphenyl phosphate.

Claim 8. (Currently Amended): Moulding compositions according to Claim [[22]]  $\underline{24}$ , containing as component C.2 an ollgomeric phosphate in which R<sub>4</sub>, R<sub>5</sub>, R<sub>6</sub> and R<sub>7</sub> represent phenyl groups and X represents a phenylene group.

Claim 9. (Original): Moulding compositions according to Claim 8, wherein X represents a bisphenylisopropylidene group.

Claim 10. (Currently Amended): Moulding compositions according to Claim [[22]] 24, wherein component D is used in the form of a coagulated mixture with component B.

Claim 11. (Cancelled)

Claim 12. (Cancelled)

Claim 13. (Cancelled)

Claim 14. (Currently Amended): A method of using the composition of Claim [[22]] 24, comprising making an injection molded article.

Claim 15. (Cancelled)

Claim 16. (Cancelled)

Claim 17. (Previously Presented): The molding composition of Claim 23 wherein X conforms to formula (III) and where q is 0.

Claim 18. (Previously Presented): The molding composition of Clam 23 wherein X conforms to formula (IV) and wherein both  $R^8$  and  $R^9$  signify hydrogen.

Mo-5383

Claim 19. (Previously Amended): The molding composition of Claim 23 wherein X is at least one member selected from the group consisting of compounds conforming to of formula (III) where q is 0 and compounds conforming to formula (IV) where both  $R^8$  and  $R^9$  signify hydrogen.

Claim 20. (Previously Amended): The molding composition of Claim 23 wherein X is at least one member selected from the group consisting of hydroquinone, resorcinol, 4,4'-dihydroxydiphenyl, 2,2-bis(4-hydroxyphenyl)propane, 2,4-bis(4-hydroxyphenyl)-2-methylbutane, 1,1-bis(4-hydroxyphenyl)cyclohexane, 1,1-bis(4-hydroxyphenyl)-3,3-dimethylcyclohexane, 1,1-bis(4-hydroxyphenyl)-3,3,5-trimethylcyclohexane and 1,1-bis(4-hydroxyphenyl)-2,4,4-trimethylcyclopentane.

Claim 21. (Cancelled)

Claim 22. (Cancelled)

Claim 23. (Currently Amended): The molding composition of Claim [[22]] 24 wherein X is a radical derived from a diphenol conforming to formula (III).

Claim 24. (Currently Amended): A flame resistant thermoplastic molding composition consisting of A) 70 to 98 parts by weight of an aromatic polycarbonate based on one or more of the diphenols of formula (III)

$$\begin{array}{c|c} (B)_q & & & \\ \hline \\ HO & & & \\ \end{array}$$

where

A signifies a single bond,  $C_1$ - $C_6$ -alkylene,  $C_2$ - $C_5$ -alkylidene,  $C_5$ - $C_6$ -cyclo alkyliden , -S- or -SO<sub>2</sub>-, B independently of one another signify  $C_6$ - $C_{10}$ -aryl and

Mo-5383

 $C_{7^{\leftarrow}}C_{12}$  aralkyl, q signifies 0, 1 or 2 and

P signifies 1 or 0, or of the dihydroxyphenylcycloalkanes of formula (IV),

where

- $R^8$  and  $R^9$ , independently of one another, signify hydrogen,  $C_5$ - $C_6$ -cycloalkyl,  $C_6$ - $C_{10}$ -aryl, and  $C_7$ - $C_{12}$ -aralkyl, m signifies an integer from 4, 5, 6 or 7,  $R^{10}$  and  $R^{11}$ , are selected individually for each Z and independently of one another, signify hydrogen or  $C_1$ - $C_6$ -alkyl and Z signifies carbon, with the proviso that  $R^{10}$  and  $R^{11}$  both signify alkyl simultaneously on at least one Z atom,
- B) 0.5 to 20 parts by weight of a graft polymer having average particle diameter,  $d_{50},$  of 0.05 to 2  $\mu m_{\rm i}$
- C) 0.5 to 5 parts by weight of a mixture of
- C.1) 10 to 90 wt.%, based on C, of a monophosphorus compound of formula (I)

$$R^{1} - (O)_{n} - P - (O)_{m} - R^{2}$$

$$(O)_{m}$$

$$R^{3}$$

$$(I)$$

where

 $R^1$ ,  $R^2$  and  $R^3$ , independently of one another, signify  $C_1$ - $C_8$ -alkyl,  $C_6$ - $C_{20}$ -aryl or  $C_7$ - $C_{12}$ -aralkyl,

m signifies 0 or 1 and n signifies 0 or 1 and

C.2) 90 to 10 wt.%, based on C, of a phosphorus compound of formula (II)

$$\begin{array}{c|c}
R^{4} & (O)_{1} & O \\
\downarrow & (O)_{1} & (O)_{1} \\
\downarrow & (O)_{1} \\
\downarrow & (O)_{1} \\
\downarrow & (O)_{1} \\
\downarrow & (O)_{1}
\end{array}$$
(II)

where

 $R^4$ ,  $R^5$ ,  $R^6$ ,  $R^7$ , independently of one another, signify  $C_1$ - $C_8$ -alkyl,  $C_5$ - $C_6$ - cycloalkyl,  $C_6$ - $C_{10}$ -aryl or  $C_7$ - $C_{12}$ -aralkyl, I independently of one another, signifies 0 or 1, N signifies 1 to 5 and X signifies a mononuclear or polynuclear aromatic radical with 6 to 30 C atoms and

D) 0.05 to 5 parts by weight of a fluorinated polyolefin with an average particle diameter of 0.05 to 1000 μm, a density of 1.2 to 2.3 g/cm3 and a fluorine content of 65 to 76 wt.%, and at least one additive selected from the group consisting of stabilizers, dyes, pigments, lubricants, mold release agents, fillers, reinforcing agents, nucleating agents and static agents represents the composition excluding added styrene copolymers.